





BUSA® High Speed Burs - Replacements Linvatec®, Medtronic® Midas Rex® & Stryker®

Compatible with High Speed Systems: Linvatec® UltraPower®; Medtronic® Midas Rex® Classic I & II; Stryker® CORE & TPS™

Order Number	Description	Unit	Head Diameter	Head Length
KM-AM2U	Acorn	mm	7.5	9.4
		in	.30	.37
Replaces Linvatec® 7021-382 Replaces Medtronic® Midas Rex® AM-2 Replaces Stryker® 5130-30-75, 5230-30-75, 5430-30-75				
				
KM-M8U	Match Head	mm	2.9	3.8
		in	0.11	0.15
Replaces Linvatec® 7021-237 Replaces Medtronic® Midas Rex® M-8 Replaces Stryker® 5120-107-30, 5220-107-30, 5420-107-30				
				
KM-AM8U	Match Head	mm	2.9	3.8
		in	0.11	0.15
Replaces Linvatec® 7021-337 Replaces Medtronic® Midas Rex® AM-8 Replaces Stryker® 5130-107-30, 5230-107-30, 5430-107-30				
				
KM-AM8DU	Match Head Diamond	mm	2.9	3.8
		in	0.11	0.15
Replaces Linvatec® 7021-379 Replaces Medtronic® Midas Rex® AM-8D Replaces Stryker® 5130-107-130, 5230-107-130, 5430-107-32				
				

High Speed Burs







MISCELLANEOUS
Replacements

BUSA® High Speed Burs - Replacements

Linvatec®, Medtronic® Midas Rex® & Stryker®

Compatible with High Speed Systems: Linvatec® UltraPower®; Medtronic® Midas Rex® Classic I & II; Stryker® CORE & TPS™





Order Number	Description	Unit	Head Diameter	Head Length
KM-M51U	Metal Cutter (Diamond Wheel)	mm	25.4	0.8
		in	1.00	0.03
Replaces Linvatec® 7021-292 Replaces Medtronic® Midas Rex® M-51 Replaces Stryker® 5120-130-250				
				
KM-M52U	Metal Cutter (Carbide)	mm	3.1	17.5
		in	0.12	0.69
Replaces Linvatec® 7021-294 Replaces Medtronic® Midas Rex® M-52 Replaces Stryker® 5120-80-30, 5420-80-30				
				
KM-U295	Oval	mm	4.0	8.0
		in	0.16	0.31
Replaces Linvatec® 7021-295 Replaces Medtronic® Midas Rex® N/A Replaces Stryker® 5120-15-140				
				
KM5110-15-40	Oval	mm	4.0	9.5
		in	0.16	0.37
Replaces Linvatec® N/A Replaces Medtronic® Midas Rex® N/A Replaces Stryker® 5110-15-40				
				

High Speed Burs

MISCELLANEOUS
Replacements

BUSA® High Speed Burs - Replacements Linvatec®, Medtronic® Midas Rex® & Stryker®

Compatible with High Speed Systems: Linvatec® UltraPower®; Medtronic® Midas Rex® Classic I & II; Stryker® CORE & TPS™

Order Number	Description	Unit	Head Diameter	Head Length
KM5130-15-40	Oval	mm	4.0	9.5
		in	0.16	0.37
Replaces Linvatec® N/A Replaces Medtronic® Midas Rex® N/A Replaces Stryker® 5130-15-40				
				
KM-M340DU	Round Diamond	mm	4.0	4.0
		in	0.16	0.16
Replaces Linvatec® 7021-264 Replaces Medtronic® Midas Rex® M-340D Replaces Stryker® 5120-12-40				
				
KM-U265	Round Diamond	mm	5.0	5.0
		in	0.20	0.20
Replaces Linvatec® 7021-265 Replaces Medtronic® Midas Rex® N/A Replaces Stryker® 5120-12-50				
				
KM-M320U	Round Fluted	mm	2.0	2.0
		in	0.08	0.08
Replaces Linvatec® 7021-224 Replaces Medtronic® Midas Rex® M-320 Replaces Stryker® 5120-10-20, 5220-10-20				
				





High Speed Burs



MISCELLANEOUS
Replacements

BUSA® High Speed Burs - Replacements Linvatec®, Medtronic® Midas Rex® & Stryker®

Compatible with High Speed Systems: Linvatec® UltraPower®; Medtronic® Midas Rex® Classic I & II; Stryker® CORE & TPS™

Order Number	Description	Unit	Head Diameter	Head Length
KM-M330U	Round Fluted	mm	3.0	3.0
		in	0.12	0.12
Replaces Linvatec® 7021-226 Replaces Medtronic® Midas Rex® M-330 Replaces Stryker® 5120-10-30, 5220-10-30				
				
KM5120-10-230	Round Fluted Extended Length	mm	3.0	3.0
		in	0.12	0.12
Replaces Linvatec® N/A Replaces Medtronic® Midas Rex® N/A Replaces Stryker® 5120-10-230, 5220-10-230				
				
KM-M340U	Round Fluted	mm	4.0	4.0
		in	0.16	0.16
Replaces Linvatec® 7021-227 Replaces Medtronic® Midas Rex® M-340 Replaces Stryker® 5120-10-40, 5220-10-40				
				
KM5120-10-240	Round Fluted Extended Length	mm	4.0	4.0
		in	0.16	0.16
Replaces Linvatec® N/A Replaces Medtronic® Midas Rex® N/A Replaces Stryker® 5120-10-240, 5220-10-240				
				

High Speed Burs

MISCELLANEOUS
Replacements

BUSA® High Speed Burs - Replacements Linvatec®, Medtronic® Midas Rex® & Stryker®

Compatible with High Speed Systems: Linvatec® UltraPower®; Medtronic® Midas Rex® Classic I & II; Stryker® CORE & TPS™

Order Number	Description	Unit	Head Diameter	Head Length
KM-M35U	Round Fluted	mm	5.0	5.0
		in	0.20	0.20
Replaces Linvatec® 7021-228 Replaces Medtronic® Midas Rex® M-35 Replaces Stryker® 5120-10-50, 5220-10-50, 5420-10-50				
				
KM5120-10-250	Round Fluted Extended Length	mm	5.0	5.0
		in	0.20	0.20
Replaces Linvatec® N/A Replaces Medtronic® Midas Rex® N/A Replaces Stryker® 5120-10-250, 5220-10-250				
				
KM-M33U	Round Fluted	mm	6.0	6.0
		in	0.24	0.24
Replaces Linvatec® 7021-229 Replaces Medtronic® Midas Rex® M-33 Replaces Stryker® 5120-10-60, 5220-10-60				
				
KM-M32U	Round Fluted	mm	7.6	7.6
		in	0.30	0.30
Replaces Linvatec® 7021-231 Replaces Medtronic® Midas Rex® M-32 Replaces Stryker® 5120-10-75, 5220-10-75				
				

High Speed Burs







MISCELLANEOUS
Replacements

BUSA® High Speed Burs - Replacements

Linvatec®, Medtronic® Midas Rex® & Stryker®

Compatible with High Speed Systems: Linvatec® UltraPower®; Medtronic® Midas Rex® Classic I & II; Stryker® CORE & TPS™

Order Number	Description	Unit	Head Diameter	Head Length
KM-M31U	Round Fluted	mm	9.0	9.0
		in	0.35	0.35
Replaces Linvatec® 7021-232 Replaces Medtronic® Midas Rex® M-31 Replaces Stryker® 5120-10-90, 5220-10-90				
				
KM-AM330U	Round Fluted	mm	3.0	3.0
		in	0.12	0.12
Replaces Linvatec® 7021-326 Replaces Medtronic® Midas Rex® AM-330 Replaces Stryker® 5130-10-30, 5230-10-30				
				
KM-AM340U	Round Fluted	mm	4.0	4.0
		in	0.16	0.16
Replaces Linvatec® 7021-327 Replaces Medtronic® Midas Rex® AM-340 Replaces Stryker® 5130-10-40, 5230-10-40				
				
KM5130-10-240	Round Fluted Extended Length	mm	4.0	4.0
		in	0.16	0.16
Replaces Linvatec® N/A Replaces Medtronic® Midas Rex® N/A Replaces Stryker® 5130-10-240, 5230-10-240				
				

High Speed Burs



MISCELLANEOUS
Replacements

BUSA® High Speed Burs - Replacements Linvatec®, Medtronic® Midas Rex® & Stryker®

Compatible with High Speed Systems: Linvatec® UltraPower®; Medtronic® Midas Rex® Classic I & II; Stryker® CORE & TPS™

Order Number	Description	Unit	Head Diameter	Head Length
KM-AM35U	Round Fluted	mm	5.0	5.0
		in	0.20	0.20
Replaces Linvatec® 7021-328 Replaces Medtronic® Midas Rex® AM-35 Replaces Stryker® 5130-10-50, 5230-10-50, 5430-10-50				
				
KM5130-10-250	Round Fluted Extended Length	mm	5.0	5.0
		in	0.20	0.20
Replaces Linvatec® N/A Replaces Medtronic® Midas Rex® N/A Replaces Stryker® 5130-10-250, 5230-10-250				
				
KM-AM33U	Round Fluted	mm	6.0	6.0
		in	0.24	0.24
Replaces Linvatec® 7021-329 Replaces Medtronic® Midas Rex® AM-33 Replaces Stryker® 5130-10-60, 5230-10-60				
				
KM-AM32U	Round Fluted	mm	7.6	7.6
		in	0.30	0.30
Replaces Linvatec® 7021-331 Replaces Medtronic® Midas Rex® AM-32 Replaces Stryker® 5130-10-75, 5230-10-75				
				


High Speed Burs



MISCELLANEOUS
Replacements


BUSA® High Speed Burs - Replacements - Linvatec®

Compatible with Linvatec® UltraPower® High Speed Systems

Order Number	Description	Unit	Head Diameter	Head Length
KM-U815	Craniotome Bur	mm	2.2	16.0
		in	0.09	0.63
Replaces Linvatec® 7021-815 Replaces Medtronic® Midas Rex® N/A Replaces Stryker® N/A				
				

BUSA® High Speed Burs - Replacements - Medtronic® Midas Rex®

Compatible with Medtronic® Midas Rex® Classic I & II High Speed Systems

Order Number	Description	Unit	Head Diameter	Head Length
KM-B1	Craniotome Bur	mm	1.8	16.0
		in	0.07	0.63
Replaces Linvatec® 5074-20-01 Replaces Medtronic® Midas Rex® B-1 Replaces Stryker® 5415-71-23				
				



High Speed Burs

MISCELLANEOUS
Replacements

BUSA® Orthopaedic Pin / Drill Packs - Replacements - DePuy® Synthes®

Compatible with DePuy® Synthes® Knee Instrumentation Systems

Fabricated from stainless steel.

Order Number	Product Description	Packaging
BMA-S90006S	1/8 in x 3.0 in Fixation Pin (Round End)	4 Pins/Pack (Sterile)
<i>Replaces 2490-95-000, 2490-95</i>		
		
BMA-S90007S	1/8 in x 3.0 in Fixation Pin (Triangular End) & Twist Drills (Round End)	4 Pins & 2 Drills/Pack (Sterile)
<i>Replaces 86-4192</i>		
		

Orthopaedic Pin/Drill Packs






MISCELLANEOUS
Replacements

Items not shown at actual size.

BUSA® Orthopaedic Pin / Drill Packs - Replacements - Stryker®

Compatible with Stryker® Knee Instrumentation Systems

Fabricated from stainless steel.

Order Number	Product Description	Packaging
BMA-S90008S	1/8 in x 3.5 in Headless Pin (Square End)	4 Pins/Pack (Sterile)
<i>Replaces 7650-2038</i>		
		
BMA-S90010S	1/8 in x 3.5 in Headless Pin, Fluted (Square End)	4 Pins/Pack (Sterile)
<i>Replaces 7650-2038A</i>		
		
BMA-S90012S	1/8 in x 3.0 in Headless Pin (Square End)	4 Pins/Pack (Sterile)
<i>Replaces 6541-4-003</i>		
		

Orthopaedic Pin/Drill Packs

MISCELLANEOUS
Replacements

Items not shown at actual size.

BUSA® Large Bone Saw Blades - Replacements - Smith & Nephew®

Compatible with Large Bone Sagittal Saw System: Dyonics®


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-701	mm	65	31	0.64	.99
	in	2.56	1.22	0.025	0.039
<i>Replaces 3701</i>					
					<i>Tooth Offset</i>
					<i>Standard</i>
KM-703	mm	30	15	0.64	.99
	in	1.18	0.59	0.025	0.039
<i>Replaces 3703</i>					
					<i>Tooth Offset</i>
					<i>Short</i>
KM-704	mm	30	9	0.64	.99
	in	1.18	0.36	0.025	0.039
<i>Replaces 3704</i>					
					<i>Tooth Offset</i>
					<i>Short Narrow</i>

Smith & Nephew®

MISCELLANEOUS
Replacements


BUSA® Sternum Saw Blades - Replacements - Aesculap®

Compatible with Aesculap® Sternum Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-135	mm	35.0	6.8	0.64	1.10
	in	1.38	0.27	0.025	0.043
<i>Replaces GB I 35, GB I 35R</i>					
					<i>Sterile</i>

BUSA® Sternum Saw Blades - Replacements - Codman®

Compatible with Codman® Sternum Saw Systems





Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-7010	mm	34.0	9.4	0.89	1.20
	in	1.34	0.37	0.035	0.047
<i>Replaces 26-7010</i>					
					<i>Sterile</i>

Sternum Saw Blades

MISCELLANEOUS
Replacements

BUSA® Sternum Saw Blades - Replacements - ConMed® Linvatec®

Compatible with Linvatec® Sternum Saw Systems



Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-31	mm	54.0	9.9	0.64	.97
	in	2.13	0.39	0.025	0.038
<i>Replaces 5059-31, 5059-031, 5059-531, 5059-031-01</i>					
					<i>Sterile</i>
KM-31N	mm	54.0	9.9	0.64	.97
	in	2.13	0.39	0.025	0.038
<i>Replaces 5059-31, 5059-031, 5059-531, 5059-031-01</i>					
					<i>Non-Sterile</i>
KM-32	mm	32.8	9.4	0.64	.99
	in	1.29	0.37	0.025	0.039
<i>Replaces 5059-32, 5059-032, 5059-532, 5059-032-01</i>					
					<i>Sterile</i>
KM-32N	mm	32.8	9.4	0.64	.99
	in	1.29	0.37	0.025	0.039
<i>Replaces 5059-32, 5059-032, 5059-532, 5059-032-01</i>					
					<i>Non-Sterile</i>

Sternum Saw Blades

MISCELLANEOUS
Replacements

BUSA® Sternum Saw Blades - Replacements - ConMed® Linvatec®

Compatible with Linvatec® Oscillating Saw Systems: VersiPower®, Series 4, Series 3 & Orthair; Linvatec® Micro 100™ Sagittal Saw; Linvatec® Repeat Sternotomy Saw; All BUSA® Small Bone Sagittal Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-279	mm	39.5	55.0	0.40	0.79
<i>Replaces 5059-279</i>	in	1.55	2.15	0.016	0.031
 <p style="text-align: right;">Sterile Repeat Sternotomy Blade Opposing Teeth</p>					
KM-279PZ	mm	26.0	39.0	0.40	0.71
<i>Replaces N/A</i>	in	1.02	1.53	0.016	0.028
 <p style="text-align: right;">Sterile Repeat Sternotomy Blade</p>					



Sternum Saw Blades



MISCELLANEOUS
Replacements

BUSA® Sternum Saw Blades - Replacements - ConMed® Linvatec®

Compatible with Linvatec® Sagittal Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®;
All BUSA® Small Bone Sagittal Saw Systems







Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-3179SN	mm	42.5	54	0.40	0.69
	in	1.67	2.13	0.016	0.027
Replaces N/A					
 <p style="text-align: right;">Coarse Opposing Teeth Non-Sterile</p>					
KM-3231SN	mm	41.9	19	0.40	0.71
	in	1.65	0.75	0.016	0.028
Replaces N/A					
 <p style="text-align: right;">Non-Sterile</p>					

Sternum Saw Blades



BUSA® Sternum Saw Blades - Replacements - Stryker®

Compatible with Stryker® Sternum Saw Systems: 7, 6, 5, 4, 2000, EHD & OrthoPower

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
ST6207-97-101	mm	30.5	6.50	0.64	1.02
	in	1.20	0.26	0.025	0.040
Replaces 6207-97-101					
					Sterile
ST6207-97-101N	mm	30.5	6.50	0.64	1.02
	in	1.20	0.26	0.025	0.040
Replaces 6207-97-101					
					Non-Sterile
KM-97	mm	32.0	6.4	0.79	1.07
	in	1.26	0.25	0.031	0.042
Replaces 298-97-100					
					Sterile
KM-97N	mm	32.0	6.4	0.79	1.07
	in	1.26	0.25	0.031	0.042
Replaces 298-97-100					
					Non-Sterile
KM-98	mm	32.0	6.4	0.64	1.02
	in	1.26	0.25	0.025	0.040
Replaces 298-97-101					
					Sterile
KM-98N	mm	32.0	6.4	0.64	1.02
	in	1.26	0.25	0.025	0.040
Replaces 298-97-101					
					Non-Sterile

Sternum Saw Blades


MISCELLANEOUS
Replacements

BUSA® Sternum Saw Blades - Replacements - Stryker®

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR2108-125	mm	45.0	42.0	0.64	1.02
	in	1.77	1.64	0.025	0.040

Replaces 2108-125




Sterile

Compatible with Stryker® Sagittal Saw System: OrthoPower

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-325	mm	45.0	42.0	0.64	1.02
	in	1.77	1.64	0.025	0.040

Replaces 277-88-125





Sterile

Sternum Saw Blades



MISCELLANEOUS
Replacements

BUSA® Sternum Saw Blades - Replacements - Terumo®

Compatible with Sarns™ Sternal Saw I

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-277	mm	32.0	6.4	0.79	1.07
	in	1.26	0.25	0.031	0.042
<i>Replaces 6097</i>					
					Sterile Includes blade retaining screw and lock washer
KM-277N	mm	32.0	6.4	0.79	1.07
	in	1.26	0.25	0.031	0.042
<i>Replaces 6097</i>					
					Non-Sterile Includes blade retaining screw and lock washer

Compatible with Sarns™ Sternal Saw II

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-278	mm	32.0	6.4	0.79	1.02
	in	1.26	0.25	0.031	0.040
<i>Replaces 5589</i>					
					Sterile
KM-278N	mm	32.0	6.4	0.79	1.02
	in	1.26	0.25	0.031	0.040
<i>Replaces 5756</i>					
					Non-Sterile

Sternum Saw Blades

MISCELLANEOUS
Replacements